**CLAIMS:** 

1) An antiparasitic formulation characterized in that it comprises, as active ingredients, spinosyn(s) in combination with a compound of formula (I)

5

10

20

35

40

$$\begin{array}{c|c}
W \longrightarrow Z \\
N \longrightarrow Z \\
R_4 \longrightarrow R_3
\end{array}$$
(I)

and salts thereof, in which

15 Ar is 2,6-dichloro-4- trifluoromethylphenyl or 2-nitro-4-trifluoromethylphenyl;

A is S(O)<sub>m</sub>, -CH=CH-, O or NH;

W is N and Z is CR<sup>5</sup>; or W is CR<sup>1</sup> and Z is N or CR<sup>5</sup>;

R1 is hydrogen, optionally substituted alkyl, halogen or R20S(O)q;

R<sup>2</sup> and R<sup>3</sup> are hydrogen, alkyl, alkenyl or alkynyl, each of which is optionally

substituted, aryl, cyano, halogen, nitro, YR<sup>20</sup>, S(O)₂NR<sup>8</sup>R<sup>9</sup>, CHO, NR<sup>8</sup>R<sup>9</sup> or CYNR<sup>8</sup>R<sup>9</sup>; R<sup>4</sup> is hydrogen, optionally substituted alkyl, optionally substituted alkenyl, acyl or optionally substituted alkoxycarbonyl;

R<sup>5</sup> is hydrogen, alkyl, optionally substituted amino or halogen;

R<sup>8</sup> and R<sup>9</sup> are the same or different and are hydrogen, optionally substituted alkyl,

25 acvl or arvl:

R<sup>20</sup> is optionally substituted alkyl;

Y is O or S;

m is 0, 1 or 2;

p is 0 or 1;

30 n is 0, 1 or 2; and

q is 0, 1 or 2,

and in which a) any alkyl, alkoxy and alkylthio groups is of 1 to 4 carbon atoms; b) any alkenyl or alkynyl groups is of 2 to 5 carbon atoms; c) any substituted alkyl, alkoxy, alkylthio, alkenyl or alkynyl group is substituted by one or more of the same or different groups selected from halogen, YR<sup>20</sup>, dihalocyclopropyl, cyano, nitro, optionally substituted amino, acyloxy and aryl; d) any aryl group is phenyl, optionally substituted, by halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, haloalkylsulphonyl, cyano or nitro; e) any acyl group is alkanoyl of 1 to 4 carbon atoms, or alkylsulphonyl or haloalkylsulphonyl; and f) any optionally substituted amino groups is of formula NR<sup>8</sup>R<sup>9</sup>, with the proviso that when W is CR<sup>1</sup> and Z is CR<sup>5</sup> and n and p are both 0, R<sup>4</sup> is not alkyl.

- 2) The formulation according to claim 1 characterized in that the compound of formula (I) is 5-chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5-dicyano-1H-imidazol-2-yl-3-methyl-1-H pyrazole (compound 22c).
- 5 3) The formulation according to claim 1 or 2 characterized in that the spinosyns are a mixture of any two or more spinosyn compounds.
  - 4) The formulation according to claim 3 characterized in that the mixture is spinosad.

10

15

20

- 5) The formulation according to any of claims 1-4 characterized in that the compound of formula (I) and one or more spinosyns are present in a ratio of 1:10 to 10:1.
  - 6) Use of one or more spinosyns and at least one compound according to formula 1 as active ingredients in the manufacture of a medicament for controlling an ectoparasite infestation by administering the active ingredients in combination, either simultaneously or sequentially.
  - 7) Use according to claim 6 wherein the active ingredients are 5-chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5-dicyano-1H-imidazol-2-yl-3-methyl-1-H pyrazole and spinosad.
  - 8) Use according to claim 6 or 7, wherein the medicament is for controlling an ectoparasite infestation by administering the active ingredients simultaneously.
  - 9) Use according to claim 8, wherein the medicament comprises the active ingredients in a single preparation.
  - 10) Use according to claim 6 wherein the ectoparasites are ticks.
  - 11) Use according to claim 6 wherein the ectoparasites are fleas.